Journal of Affective Disorders, 14 (1988) 299–301
Elsevier

Author Index (Vol. 14)

Allerup, P., see Bech, P. (14) 161
Amsterdam, J.D., Maislin, G., Winokur, A., Berwish, N., Kling, M. and Gold, P.
The oCRH stimulation test before and after clinical recovery from depression (14) 213
Amsterdam, J.D., Rybakowski, J., Gottlieb, J. and Frazer, A.
Kinetics of erythrocyte lithium–sodium countertransport in patients with affective illness before and during lithium therapy (14) 75
Appelboom-Fondu, J., Kerkhofs, M. and Mendlewicz, J.
Depression in adolescents and young adults — polysomnographic and neuroendocrine aspects (14) 35
Aronson, T.A., Shukla, S., Hoff, A. and Cook, B.
Proposed delusional depression subtypes: preliminary evidence from a retrospective study of phenomenology and treatment course (14) 69
Aronson, T.A., see Hoff, A.L. (14) 251

Bech, P., Allerup, P., Gram, L.F., Kragh-Sørensen, P., Rafaelsen, O.J., Reisby, N., Vestergaard, P.V. and the Danish University Antidepressant Group (DUAG)
The Diagnostic Melancholia Scale (DMS): dimensions of endogenous and reactive depression with relationship to the Newcastle Scales (14) 161
Beckmann, H., see Lesch, K.-P. (14) 245
Bell, S., see Black, D.W. (14) 115
Belzile, L., see Yassa, R. (14) 197
Berwish, N., see Amsterdam, J.D. (14) 213
Bialos, D., see Giller, Jr., E. (14) 171
Biggs, M.M., see Giles, D.E. (14) 51
Birtchnell, J., Evans, C. and Kennard, J.
Life history factors associated with neurotic symptomatology in a rural community sample of 40–49-year-old women (14) 271
Bissette, G., see Widerlöv, E. (14) 99
Black, D.W., Bell, S., Hulbert, J. and Nasrallah, A.
The importance of Axis II in patients with major depression. A controlled study (14) 115
Brockington, I.F., Kelly, A., Hall, P. and Deakin, W.
Premenstrual relapse of puerperal psychosis (14) 287
Bromet, E.J., see Dew, M.A. (14) 223
Buller, R., see Maier, W. (14) 61
Burrows, G.D., see Morse, C.A. (14) 41

Camille, Y., see Yassa, R. (14) 197
Cassano, G.B., Petracca, A., Perugi, G., Nisita, C., Musetti, L., Mengali, F. and McNair, D.M.
Clomipramine for panic disorder: I. The first 10 weeks of a long-term comparison with imipramine (14) 123
Christie, J.E., see Hunter, R. (14) 155
Cook, B., see Aronson, T.A. (14) 69
Cook, B.L., see Hoff, A.L. (14) 251
Coryell, W., see Zimmerman, M. (14) 235
Cowen, P.J., see Goodwin, G.M. (14) 137

Danish University Antidepressant Group (DUAG), see Bech, P. (14) 161
Deakin, W., see Brockington, I.F. (14) 287
Dennerstein, L., see Morse, C.A. (14) 41
Dew, M.A., Dunn, L.O., Bromet, E.J. and Schulberg, H.C.
Factors affecting help-seeking during depression in a community sample (14) 223
Dick, H., see Hunter, R. (14) 155
Dickstein, S., see Klein, D.N. (14) 25
Donald, R.A., see Joyce, P.R. (14) 189
Dunn, L.O., see Dew, M.A. (14) 223

El-Islam, M.F., Moussa, M.A.A., Malasi, T.H., Suleiman, M.A. and Mirza, I.A.
Assessment of depression in Kuwait by principal component analysis (14) 109
Elder, P.A., see Joyce, P.R. (14) 189
Evans, C., see Birtchnell, J. (14) 271

Fairburn, C.G., see Goodwin, G.M. (14) 137
Fava, G.A., Kellner, R., Zielezny, M. and Grandi, S.
Hypochondriacal fears and beliefs in agoraphobia (14) 239
Fernandez, M., see Thompson, C. (14) 257
Fine, J., see Thompson, C. (14) 257
Fink, G., see Hunter, R. (14) 155
Frazer, A., see Amsterdam, J.D. (14) 75
Freeling, P., see Paykel, E.S. (14) 83

Giles, D.E., Biggs, M.M., Rush, A.J. and Roffwarg, H.P.
Risk factors in families of unipolar depression. I. Psychiatric illness and reduced REM latency (14) 51
Giller, Jr., E., Bialos, D., Riddle, M.A. and Waldo, M.C.
MAOI treatment response: multiaxial assessment (14) 171
Gold, P., see Amsterdam, J.D. (14) 213
Goodwin, G.M., Fairburn, C.G., Keenan, J.C. and Cowen, P.J.
The effects of dieting and weight loss upon the stimulation of thyrotropin (TSH) by thyrotropin-releasing hormone (TRH) and suppression of cortisol secretion by dexamethasone in men and women (14) 137
Goodwin, G.M., see Hunter, R. (14) 155
Gottlieb, J., see Amsterdam, J.D. (14) 75
Gram, L.F., see Bech, P. (14) 161
Grandi, S., see Fava, G.A. (14) 239

Hall, P., see Brockington, I.F. (14) 287
Harding, K., see Klein, D.N. (14) 25
Heuser, I., see Maier, W. (14) 61
Hoff, A., see Aronson, T.A. (14) 69
Hoff, A.L., Shukla, S., Cook, B.L., Aronson, T.A., Ollo, C.L. and Pass, H.L.
Cognitive function in manics with associated neurologic factors (14) 251
Hollyman, J.A., see Paykel, E.S. (14) 83
Hulbert, J., see Black, D.W. (14) 115
Hunter, R., Dick, H., Christie, J.E., Goodwin, G.M. and Fink, G.
Lymphocyte glucocorticoid receptor binding in depression: normal values following recovery (14) 155

Isaacs, G., Stainer, D.S., Sensky, T.E., Moor, S. and Thompson, C.
Phototherapy and its mechanisms of action in seasonal affective disorder (14) 13
Isaacs, G., see Thompson, C. (14) 1
Isaacs, G., see Thompson, C. (14) 257

Joyce, P.R., Sellman, J.D., Donald, R.A., Livesey, J.H. and Elder, P.A.
The unipolar–bipolar depressive dichotomy and the relationship between afternoon prolactin and cortisol levels (14) 189

Keenan, J.C., see Goodwin, G.M. (14) 137
Kellner, R., see Fava, G.A. (14) 239
Kelly, A., see Brockington, I.F. (14) 287
Kennard, J., see Birtchnell, J. (14) 271
Kerkhofs, M., see Appelboom-Fondu, J. (14) 35
Klein, D.N., Taylor, E.B., Dickstein, S. and Harding, K.
The early–late onset distinction in DSM-III-R dysthymia (14) 25
Kling, M., see Amsterdam, J.D. (14) 213
Kragh-Sørensen, P., see Bech, P. (14) 161
Kupfer, D.J., see Spiker, D.G. (14) 21

Laux, G., see Lesch, K.-P. (14) 245
Leitner, M., see Möller, H.J. (14) 203
Lesch, K.-P., Laux, G., Schulte, H.M., Pfüller, H. and Beckmann, H.
Abnormal responsiveness of growth hormone to human corticotropin-releasing hormone in major depressive disorder (14) 245
Livesey, J.H., see Joyce, P.R. (14) 189

Maier, W., Buller, R., Philipp, M. and Heuser, I.
The Hamilton Anxiety Scale: reliability, validity and sensitivity to change in anxiety and depressive disorders (14) 61
Maislin, G., see Amsterdam, J.D. (14) 213
Maj, M.
Lithium prophylaxis of schizoaffective disorders: a prospective study (14) 129
Malasi, T.H., see El-Islam, M.F. (14) 109
McNair, D.M., see Cassano, G.B. (14) 123
Mendlewicz, J., see Appelboom-Fondu, J. (14) 35
Mengali, F., see Cassano, G.B. (14) 123
Mirza, I.A., see El-Islam, M.F. (14) 109
Möller, H.J. and Leitner, M.
A non-linear mathematical model for computerized analysis of mood curves: construction of the model and its application to the mood curves of depressive and schizophrenic inpatients (14) 203
Moor, S., see Isaacs, G. (14) 13
Morse, C.A., Dennerstein, L., Varnavides, K. and Burrows, G.D.
Menstrual cycle symptoms: comparison of a non-clinical sample with a patient group (14) 41
Moussa, M.A.A., see El-Islam, M.F. (14) 109
Musetti, L., see Cassano, G.B. (14) 123

Nair, V., see Yassa, R. (14) 197
Nasrallah, A., see Black, D.W. (14) 115
Nastase, C., see Yassa, R. (14) 197
Nemeroff, C.B., see Widerlöv, E. (14) 99
Nisita, C., see Cassano, G.B. (14) 123
North, C.S., see Smith, E.M. (14) 145

Ollo, C.L., see Hoff, A.L. (14) 251

Pass, H.L., see Hoff, A.L. (14) 251
Paykel, E.S., Hollyman, J.A., Freeling, P. and Sedgwick, P.
Predictors of therapeutic benefit from amitriptyline in mild depression: a general practice placebo-controlled trial (14) 83
Perugi, G., see Cassano, G.B. (14) 123
Petracca, A., see Cassano, G.B. (14) 123
Pfohl, B., see Zimmerman, M. (14) 235
Pfüller, H., see Lesch, K.-P. (14) 245
Philipp, M., see Maier, W. (14) 61

Rafaelsen, O.J., see Bech, P. (14) 161
Reisby, N., see Bech, P. (14) 161
Riddle, M.A., see Giller, Jr., E. (14) 171
Roffwarg, H.P., see Giles, D.E. (14) 51
Roy, A.
Cortisol nonsuppression in depression: relationship to clinical variables (14) 265
Roy, A.
Plasma HVA levels in depressed patients and controls (14) 293
Rush, A.J., see Giles, D.E. (14) 51
Rybakowski, J., see Amsterdam, J.D. (14) 75

Schulberg, H.C., see Dew, M.A. (14) 223
Schulte, H.M., see Lesch, K.-P. (14) 245
Sedgwick, P., see Paykel, E.S. (14) 83
Sellman, J.D., see Joyce, P.R. (14) 189
Sensky, T.E., see Isaacs, G. (14) 13
Sherwin, B.B.
Affective changes with estrogen and androgen replacement therapy in surgically menopausal women (14) 177
Shukla, S., see Aronson, T.A. (14) 69

Shukla, S., see Hoff, A.L. (14) 251
Smith, E.M. and North, C.S.
Familial subtypes of depression: a longitudinal perspective (14) 145
Spiker, D.G. and Kupfer, D.J.
Placebo response rates in psychotic and nonpsychotic depression (14) 21
Stainer, D.S., see Isaacs, G. (14) 13
Stangl, D., see Zimmerman, M. (14) 235
Stinson, D., see Thompson, C. (14) 257
Suleiman, M.A., see El-Islam, M.F. (14) 109

Taylor, E.B., see Klein, D.N. (14) 25
Thompson, C. and Isaacs, G.
Seasonal affective disorder — a Britisn sample. Symptomatology in relation to mode of referral and diagnostic subtype (14) 1
Thompson, C., Stinson, D., Fernandez, M., Fine, J. and Isaacs, G.
A comparison of normal, bipolar and seasonal affective disorder subjects using the Seasonal Pattern Assessment Questionnaire (14) 257
Thompson, C., see Isaacs, G. (14) 13

Varnavides, K., see Morse, C.A. (14) 41
Vestergaard, P.V., see Bech, P. (14) 161

Waldo, M.C., see Giller, Jr., E. (14) 171
Widerlöv, E., Bissette, G. and Nemeroff, C.B.
Monoamine metabolites, corticotropin releasing factor and somatostatin as CSF markers in depressed patients (14) 99
Winokur, A., see Amsterdam, J.D. (14) 213

Yassa, R., Nair, V., Nastase, C., Camille, Y. and Belzile, L.
Prevalence of bipolar disorder in a psychogeriatric population (14) 197

Zielezny, M., see Fava, G.A. (14) 239
Zimmerman, M., Stangl, D., Pfohl, B. and Coryell, W.
Past loss as a symptom formation factor in depression (14) 235